

! Due to the printing process, the colors of the actual products may differ from the pictures. For the actual effect please refer to tile samples.

RAINBOW[®]



MORNING RAINBOW LIGHTING



AN ISO9001-2015

CERTIFIED MANUFACTURER
2020-2021 CATALOG



HONGKONG MORNING STAR LIGHTING INT CO., LTD.
FOSHAN CHENHONG LIGHTING ELECTRICAL APPLICANCE CO., LTD.

F3, Bldg.#3, Jiangmei Industrial Zoon Xiaotang, Shishan Town, Nanhai, Foshan City, China
Tel: +86-757-86636899 81081766
Fax: +86-757-86633577
Homepage: www.cn-starlighting.com
Email: info@cn-starlighting.com




Model:2SCRT


Length

1000 mm / 1500 mm
2000 mm / 3000 mm

- White ○
- Black ●
- Silver ●




Model:2SFT




Model:2SRT




2 Wire power connector




2 Wire end cap




2 Wire Mini I connector




2 Wire L connector




2 Wire T connector



2 Wire X connector



2 Wire flexible Connector



Model No.	Colour	Package
2SP-W	White ○	100
2SP-B	Black ●	100
2SP-S	Silver ●	100

Model No.	Colour	Package
2SE-W	White ○	500
2SE-B	Black ●	500
2SE-S	Silver ●	500


Model No.	Colour	Package
2SMI-W	White ○	200
2SMI-B	Black ●	200
2SMI-S	Silver ●	200

Model No.	Colour	Package
2SL-W	White ○	200
2SL-B	Black ●	200
2SL-S	Silver ●	200

Model No.	Colour	Package
2ST-W	White ○	100
2ST-B	Black ●	100
2ST-S	Silver ●	100


Model No.	Colour	Package
2SX-W	White ○	100
2SX-B	Black ●	100
2SX-S	Silver ●	100

Model No.	Colour	Package
2SF-W	White ○	50
2SF-B	Black ●	50
2SF-S	Silver ●	50




Model No.	Colour	Package
2SCP-W	White ○	100
2SCP-B	Black ●	100
2SCP-S	Silver ●	100

2 Wire recessed power connector




Model No.	Colour	Package
2SCE-W	White ○	500
2SCE-B	Black ●	500
2SCE-S	Silver ●	500

2 Wire recessed end cap




Model No.	Colour	Package
2SCMI-W	White ○	200
2SCMI-B	Black ●	200
2SCMI-S	Silver ●	200

2 Wire recessed Mini I connector




Model No.	Colour	Package
2SCL-W	White ○	200
2SCL-B	Black ●	200
2SCL-S	Silver ●	200

2 Wire recessed L connector




Model No.	Colour	Package
2SCT-W	White ○	100
2SCT-B	Black ●	100
2SCT-S	Silver ●	100

2 Wire recessed T connector



Model No.	Colour	Package
2SCX-W	White ○	100
2SCX-B	Black ●	100
2SCX-S	Silver ●	100

2 Wire recessed X connector




Model No.	Colour	Package
2SCF-W	White ○	50
2SCF-B	Black ●	50
2SCF-S	Silver ●	50

2 Wire recessed flexible Connector



Length

1000 mm / 1500 mm
2000 mm / 3000 mm


White ○
Black ●
Silver ●



Model:3SCF




Model:3ASF






3 wire power connector



Model No.	Colour	Package
3SP-W	White ○	150
3SP-B	Black ●	150
3SP-S	Silver ●	150




3 wire end cap



Model No.	Colour	Package
3SE-W	White ○	500
3SE-B	Black ●	500
3SE-S	Silver ●	500




3 wire mini I connector



Model No.	Colour	Package
3SMI-W	White ○	200
3SMI-B	Black ●	200
3SMI-S	Silver ●	200




3 wire I connector




Model No.	Colour	Package
3SI-W	White ○	100
3SI-B	Black ●	100
3SI-S	Silver ●	100




3 wire L connector




Model No.	Colour	Package
3SL-W	White ○	100
3SL-B	Black ●	100
3SL-S	Silver ●	100




3 wire T connector



Model No.	Colour	Package
3ST-W	White ○	50
3ST-B	Black ●	50
3ST-S	Silver ●	50




3 wire X connector



Model No.	Colour	Package
3SX-W	White ○	50
3SX-B	Black ●	50
3SX-S	Silver ●	50




3 wire flexible connector



Model No.	Colour	Package
3SF-W	White ○	50
3SF-B	Black ●	50
3SF-S	Silver ●	50




3 wire adjustable connector



Model No.	Colour	Package
3SA-W	White ○	80
3SA-B	Black ●	80
3SA-S	Silver ●	80




3 wire suspension set



Model No.	Colour	Package
3SS-15W	White ○	100
3SS-15B	Black ●	100
3SS-15S	Silver ●	100


3-Wire Track Accessories Polarity

○ 3-Wire L Connector



Inside Circuit Outside Circuit


○ 3-Wire T Connector



Left-1 Circuit Left-2 Circuit Right-1 Circuit Right-2 Circuit




3 wire recessed power connector




Model No.	Colour	Package
3SCP-W	White ○	100
3SCP-B	Black ●	100
3SCP-S	Silver ●	100




3 wire end cap



Model No.	Colour	Package
3SCE-W	White ○	500
3SCE-B	Black ●	500
3SCE-S	Silver ●	500




3 wire I recessed connector



Model No.	Colour	Package
3SCI-W	White ○	100
3SCI-B	Black ●	100
3SCI-S	Silver ●	100




3 wire L recessed connector




Model No.	Colour	Package
3SCL-W	White ○	50
3SCL-B	Black ●	50
3SCL-S	Silver ●	50




3 wire T recessed connector



Model No.	Colour	Package
3SCT-W	White ○	50
3SCT-B	Black ●	50
3SCT-S	Silver ●	50




3 wire X recessed connector




Model No.	Colour	Package
3SCX-W	White ○	50
3SCX-B	Black ●	50
3SCX-S	Silver ●	50

Length
1000 mm / 1500 mm
2000 mm / 3000 mm



White ○
Black ●
Silver ●



Model:4RFT




Model:4RRT






4 wire round power connector



Model No.	Colour	Package
4RP-W	White ○	130
4RP-B	Black ●	130
4RP-S	Silver ●	130




4 wire round end cap



Model No.	Colour	Package
4RE-W	White ○	100
4RE-B	Black ●	100
4RE-S	Silver ●	100




4 wire round I mini connector



Model No.	Colour	Package
4RMI-W	White ○	200
4RMI-B	Black ●	200
4RMI-S	Silver ●	200




4 wire round I connector



Model No.	Colour	Package
4RI-W	White ○	50
4RI-B	Black ●	50
4RI-S	Silver ●	50




4 wire round L connector



Model No.	Colour	Package
4RL-W	White	50
4RL-B	Black ●	50
4RL-S	Silver ●	50




4 wire round T connector



Model No.	Colour	Package
4RT-W	White ○	50
4RT-B	Black ●	50
4RT-S	Silver ●	50




4 wire round X connector



Model No.	Colour	Package
4RX-W	White ○	25
4RX-B	Black ●	25
4RX-S	Silver ●	25




4 wire round flexible connector



Model No.	Colour	Package
4RF-W	White ○	100
4RF-B	Black ●	100
4RF-S	Silver ●	100

3-Phase Track Accessories Polarity

- 3-Phase Power Connector




Use of L-And T-Accessories


- Red Line Indicates Polarity Ridge




- 3-Phase L Connector




- Floor View



- 3-Phase T Connector




- 3-Phase X Connector




M-RAINBOW


3-PHASE TRACK SERIES




4HSFT




4HSCFT



power connector
4HSP




End cup
4HSE




I mini connector
4RMI


Type	Polarity ridge	Surface treatment/colour /material	PCS/ Package
4HSFT-10W		White	10
4HSFT-10B		Black	10
4HSFT-10S		Silver	10
4HSFT-15W		White	10
4HSFT-15B		Black	10
4HSFT-15S		Silver	10
4HSFT-20W		White	10
4HSFT-20B		Black	10
4HSFT-20S		Silver	10
4HSFT-30W		White	10
4HSFT-30B		Black	10
4HSFT-30S		Silver	10
4HSCFT-10W		White	8
4HSCFT-10B		Black	8
4HSCFT-10S		Silver	8
4HSCFT-15W		White	8
4HSCFT-15B		Black	8
4HSCFT-15S		Silver	8
4HSCFT-20W		White	8
4HSCFT-20B		Black	8
4HSCFT-20S		Silver	8
4HSCFT-30W		White	8
4HSCFT-30B		Black	8
4HSCFT-30S		Silver	8
4HSP-W		White	130
4HSP-B		Black	130
4HSP-S		Silver	130
4HSE-W		White	500
4HSE-B		Black	500
4HSE-S		Silver	500
4RMI-W		White	200
4RMI-B		Black	200
4RMI-S		Silver	200




I straight connector
4HSI




L connector
4HSL



T connector
4HST



X connector
4HSX



flexible connector
4HSF

Type	Polarity ridge	Surface treatment/colour /material	PCS/ Package
4HSI-W		White	50
4HSI-B		Black	50
4HSI-S		Silver	50
4HSL-W		White	50
4HSL-B		Black	50
4HSL-S		Silver	50
4HST-W		White	50
4HST-B		Black	50
4HST-S		Silver	50
4HSX-W		White	25
4HSX-B		Black	25
4HSX-S		Silver	25
4HSF-W		White	50
4HSF-B		Black	50
4HSF-S		Silver	50



Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
4SFT-10W		White	10
4SFT-10B		Black	10
4SFT-10S		Silve	10
4SFT-15W		White	10
4SFT-15B		Black	10
4SFT-15S		Silver	10
4SFT-20W		White	10
4SFT-20B		Black	10
4SFT-20S		Silver	10
4SFT-30W		White	10
4SFT-30B		Black	10
4SFT-30S		Silver	10



4SRT-10W		White	10
4SRT-10B		Black	10
4SRT-10S		Silver	10
4SRT-15W		White	10
4SRT-15B		Black	10
4SRT-15S		Silver	10
4SRT-20W		White	10
4SRT-20B		Black	10
4SRT-20S		Silver	10
4SRT-30W		White	10
4SRT-30B		Black	10
4SRT-30S		Silver	10



4SP-W		White	130
4SP-B		Black	130
4SP-S		Silver	130



4SE-W		White	500
4SE-B		Black	500
4SE-S		Silver	500



Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
4SMI-W		White	25
4SMI-B		Black	25
4SMI-S		Silver	25



4SI-W		White	50
4SI-B		Black	50
4SI-S		Silver	50



4SL-W		White	70
4SL-B		Black	70
4SL-S		Silver	70



4ST-W		White	50
4ST-B		Black	50
4ST-S		Silver	50




4SX-W		White	25
4SX-B		Black	25
4SX-S		Silver	25



4SA-W		White	80
4SA-B		Black	80
4SA-S		Silver	80



4SF-W		White	50
4SF-B		Black	50
4SF-S		Silver	50




recessed track
(Round copper)
4SCRT




power connector
4SCP




I connector
4SCI



L connector
4SCL




T connector
4SCT



X connector
4SCX


Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
4SCRT-10W		White	8
4SCRT-10B		Black	8
4SCRT-10S		Silver	8
4SCRT-15W		White	8
4SCRT-15B		Black	8
4SCRT-15S		Silver	8
4SCRT-20W		White	8
4SCRT-20B		Black	8
4SCRT-20S		Silver	8
4SCRT-30W		White	8
4SCRT-30B		Black	8
4SCRT-30S		Silver	8
4SCP-W		White	130
4SCP-B		Black	130
4SCP-S		Silver	130
4SCI-W		White	50
4SCI-B		Black	50
4SCI-S		Silver	50
4SCL-W		White	70
4SCL-B		Black	70
4SCL-S		Silver	70
4SCT-W		White	50
4SCT-B		Black	50
4SCT-S		Silver	50
4SCX-W		White	25
4SCX-B		Black	25
4SCX-S		Silver	25






4GSRT

Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
4GSRT-10W		White	10
4GSRT-10B		Black	10
4GSRT-10S		Silver	10
4GSRT-15W		White	10
4GSRT-15B		Black	10
4GSRT-15S		Silver	10
4GSRT-20W		White	10
4GSRT-20B		Black	10
4GSRT-20S		Silver	10
4GSRT-30W		White	10
4GSRT-30B		Black	10
4GSRT-30S		Silver	10




4GSCRT

4GSCRT-10W		White	8
4GSCRT-10B		Black	8
4GSCRT-10S		Silver	8
4GSCRT-15W		White	8
4GSCRT-15B		Black	8
4GSCRT-15S		Silver	8
4GSCRT-20W		White	8
4GSCRT-20B		Black	8
4GSCRT-20S		Silver	8
4GSCRT-30W		White	8
4GSCRT-30B		Black	8
4GSCRT-30S		Silver	8




power connector
4GSP

4GSP-W		White	130
4GSP-B		Black	130
4GSP-S		Silver	130



end cap
4GSE


4GSE-W		White	500
4GSE-B		Black	500
4GSE-S		Silver	500




I mini connector
4GSMI



I connector
4GSI




L connector
4GSL



T connector
4GST



X connector
4GSX



adjustable connector
4GSA



flexible connector
4GSF

Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
------	----------------	------------------------------------	---------------

4GSMI-W		White	50
4GSMI-B		Black	50
4GSMI-S		Silver	50

4GSI-W		White	50
4GSI-B		Black	50
4GSI-S		Silver	50


4GSL-W		White	70
4GSL-B		Black	70
4GSL-S		Silver	70

4GST-W		White	50
4GST-B		Black	50
4GST-S		Silver	50


4GSX-W		White	25
4GSX-B		Black	25
4GSX-S		Silver	25


4GSA-W		White	80
4GSA-B		Black	80
4GSA-S		Silver	80

4GSF-W		White	50
4GSF-B		Black	50
4GSF-S		Silver	50




Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
4GSCP-W 4GSCP-B 4GSCP-S		White Black Silver	130 130 130
4GSCI-W 4GSCI-B 4GSCI-S		White Black Silver	50 50 50
4GSCL-W 4GSCL-B 4GSCL-S		White Black Silver	70 70 70
4GSCT-W 4GSCT-B 4GSCT-S		White Black Silver	50 50 50
4GSCX-W 4GSCX-B 4GSCX-S		White Black Silver	25 25 25







6GSRT



6GSCRT




power connector
6GSP




End cup
6GSE


Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
6GSRT-10W		White	10
6GSRT-10B		Black	10
6GSRT-10S		Silver	10
6GSRT-15W		White	10
6GSRT-15B		Black	10
6GSRT-15S		Silver	10
6GSRT-20W		White	10
6GSRT-20B		Black	10
6GSRT-20S		Silver	10
6GSRT-30W		White	10
6GSRT-30B		Black	10
6GSRT-30S		Silver	10
6GSCRT-10W		White	8
6GSCRT-10B		Black	8
6GSCRT-10S		Silver	8
6GSCRT-15W		White	8
6GSCRT-15B		Black	8
6GSCRT-15S		Silver	8
6GSCRT-20W		White	8
6GSCRT-20B		Black	8
6GSCRT-20S		Silver	8
6GSCRT-30W		White	8
6GSCRT-30B		Black	8
6GSCRT-30S		Silver	8
6GSP-W		White	130
6GSP-B		Black	130
6GSP-S		Silver	130
6GSE-W		White	500
6GSE-B		Black	500
6GSE-S		Silver	500




Mini straight connector
6GSMI




I straight connector
6GSI




L connector
6GSL




T connector
6GST



X connector
6GSX










Flexible connector
6GSF



recessed power
connector
6GSCP

Type	Polarity ridge	Surface treatment/colour /material	PCS/ Packlage
6GSMI-W		White	50
6GSMI-B		Black	50
6GSMI-S		Silver	50
6GSI-W		White	50
6GSI-B		Black	50
6GSI-S		Silver	50
6GSL-W		White	50
6GSL-B		Black	50
6GSL-S		Silver	50
6GST-W		White	50
6GST-B		Black	50
6GST-S		Silver	50
6GSX-W		White	25
6GSX-B		Black	25
6GSX-S		Silver	25
6GSF-W		White	50
6GSF-B		Black	50
6GSF-S		Silver	50
6GSCP-W		White	100
6GSCP-B		Black	100
6GSCP-S		Silver	100

Type	Polarity ridge	Surface treatment/colour /material	PCS/ Package
 I recessed straight connector 6GSCI		6GSCI-W White	50
		6GSCI-B Black	50
		6GSCI-S Silver	50
 L recessed connector 6GSCL		6GSCL-W White	50
		6GSCL-B Black	50
		6GSCL-S Silver	50
 T recessed connector 6GSCT		6GSCT-W White	50
		6GSCT-B Black	50
		6GSCT-S Silver	50
 X recessed connector 6GSCX		6GSCX-W White	25
		6GSCX-B Black	25
		6GSCX-S Silver	25



4 wire curved track



2 wire curved track





3 wire curved track

Accept customization of any size.







Suspension kit A



Colour	Package	Match
White ○	100	2SRT
Black ●	100	2SFT
Silver ●	100	4RRT
		4RFT
		4HSFT





Suspension kit B



Colour	Package	Match
White ○	100	4RRT
Black ●	100	4RFT
Silver ●	100	





Suspension kit C




Colour	Package	Match
White ○	100	2SRT
Black ●	100	2SFT
Silver ●	100	4RRT
		4RFT



Suspension kit D



Colour	Package	Match
White ○	100	4SFT
Black ●	100	4SRT
Silver ●	100	4GSRT
		6GSRT




illustration




A-601W

Type	Polarity ridge	Surface treatment/colour /material	PCS/ Package
A-601W		White	50
A-601B		Black	50
A-601S		Silver	50



6 wire Adaptor (DALI)





adapter HG-402



adapter HG-405



adapter HG-406



4 wire Round Base



dali adapter HG-404



HGDX-407(mini)



HGDX-408(small)




HGDX-409 (big)

Type	Size	Surface treatment/colour /material	PCS/ Packlage
A-402W A-402B A-402S		White Black Silver	100 100 100
A-405W A-405B A-405S		White Black Silver	100 100 100
A-406W A-406B A-406S		White Black Silver	100 100 100
4RB-W 4RB-B 4RB-S	 Match HG-402 or HG-406	White Black Silver	50 50 50
A-404W A-404B A-404S		White Black Silver	100 100 100
C-407W C-407B C-407S	 Match HG-402 or HG-404 (DALI)	White Black Silver	50 50 50
C-408W C-408B C-408S	 Match HG-402 or HG-404 (DALI)	White Black Silver	50 50 50
C-409W C-409B C-409S	 Match HG-402 or HG-404 (DALI)	White Black Silver	50 50 50



HGDX-410 (long)

C-410W
C-410B
C-410S













White
Black
Silver

50
50
50

Match HG-402 or HG-404 (DALI)

M-RAINBOW Track connecting diagrams



Type	Size	Surface treatment/colour /material	PCS/ Package
 adaptor HG-301	A-301W	White	100
	A-301B	Black	100
	A-301S	Silver	100
 adaptor HG-305	A-305W	White	100
	A-305B	Black	100
	A-305S	Silver	100
 adaptor HG-304(with swith)	A-304W	White	100
	A-304B	Black	100
	A-304S	Silver	100
 adaptor HG-307	A-307W	White	100
	A-307B	Black	100
	A-307S	Silver	100
 HGDX-301	C-301W	White	50
	C-301B	Black	50
	C-301S	Silver	50
 HGDX-302	C-302W	White	50
	C-302B	Black	50
	C-302S	Silver	50
 HGDX-303	C-303W	White	50
	C-303B	Black	50
	C-303S	Silver	50

 HGDX-306	C-306W	White	50
	C-306B	Black	50
	C-306S	Silver	50
 HGDX-307	C-307W	White	50
	C-307B	Black	50
	C-307S	Silver	50
 HGDX-308	C-308W	White	50
	C-308B	Black	50
	C-308S	Silver	50
 HGDX-309	C-309W	White	50
	C-309B	Black	50
	C-309S	Silver	50
 HGDX-310	C-310W	White	50
	C-310B	Black	50
	C-310S	Silver	50
 HGDX-311	C-311W	White	50
	C-311B	Black	50
	C-311S	Silver	50
 HGDX-312	C-312W	White	50
	C-312B	Black	50
	C-312S	Silver	50
 3 wire Round Base	3RB-W	White	50
	3RB-B	Black	50
	3RB-S	Silver	50



adapter HG-201



adapter HG-202



adapter HG-203



adapter HG-208


Type	Size	Surface treatment/colour/material	PCS/Packlage
A-201W A-201B A-201S		White Black Silver	100 100 100
A-202W A-202B A-202S		White Black Silver	100 100 100
A-203W A-203B A-203S		White Black Silver	100 100 100
A-208W A-208B A-208S		White Black Silver	100 100 100



4GSRT

6GSRT

4HSFT



4RRT

4RFT

4SRT

4SFT

4KSRT

4CSRT

